

Page 1/7

Tel.: +49-40-88899-101

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/19/2023 Reviewed on 02/19/2023

#### 1 Identification

· Product identifier

· Trade name tesa HAF 58446, 58480, 58484, 58485, 58486, 58488, 58489

· Application of the substance / the

mixture

Adhesive tape

· Manufacturer/Supplier:

Hugo-Kirchberg-Str. 1 D-22848 Norderstedt

Germany

tesa SE

Informing department: tesa SE, Corporate Regulatory Affairs

SDS@tesa.com, Tel.: +49-40-88899-6954

· Emergency telephone number: Reception Headquarters

tesa SE, Hugo-Kirchberg-Str. 1, 22848 Norderstedt, Germany

Phone: +49 40 88899 2667 (Mon.-Thurs. 07:00-18:00h, Fr. 07:00-15:00h)

### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

· Label elements

· GHS label elements

The product is classified and labeled according to the CLP regulation.

· Hazard pictograms · Signal word · Hazard statements

Void Void Void

**FIRE** 

· Classification system

NFPA ratings (scale 0-4)

Health = 0Fire = 0Reactivity = 0

· HMIS ratings (scale 0-4)

Health = 0 **HEALTH** 0 Fire = 0 0 Reactivity = 0

REACTIVITY 0

· Other hazards The product contains no elutable organic halogens, which will increase the AOX-

values of the waste water.

The product does not contain organically bound halogen compounds (AOX), nitrates,

heavy metal compounds (sum below 100 ppm) and formaldehyde.

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Polyurethane with black pigments

Dangerous components:

· Additional information The wording of the listed hazard statements can be found in section 16.

#### 4 First-aid measures

· Description of first aid measures

General information No special measures required.

· After inhalation Void

(Contd. on page 2)



Page 2/7

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/19/2023 Reviewed on 02/19/2023

Trade name tesa HAF 58446, 58480, 58484, 58485, 58486, 58488, 58489

(Contd. of page 1)

• After skin contact

Skin contact with hot adhesive mass (from 45°C):

Remove garments carefully to prevent heat build-up and afterburning. Do not remove items of clothing that have already bonded to the skin. Immediately rinse or shower the burned body regions gently with cold water (15-20°C) (at least 15 minutes). The cold water treatment leads to pain relief and reduced edema formation. This reduces the afterburn effect. Avoid hypothermia due to extensive application of cold water or ice water. Constantly check the vital signs of the burn victim. The first aider should not cover burned skin areas with dressing material or apply burn ointment. Avoid cooling.

The product is not irritating to the skin. Rinse with warm water.

· After eye contact Void · After swallowing Void

· Information for doctor

 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 Indication of any immediate medical attention and special treatment

**needed** No further relevant information available.

#### 5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents

For safety reasons unsuitable extinguishing agents

· Special hazards arising from the

substance or mixture

Use fire fighting measures that suit the environment.

Water with a full water jet.

In the event of a fire may be released:

Nitrogen oxides (NOx) Carbon monoxide (CO) Carbon dioxide (CO2)

Under certain fire conditions, traces of other toxic substances cannot be excluded.

Advice for firefighters

· Protective equipment:

Put on breathing apparatus.

Do not inhale explosion gases or combustion gases.

### 6 Accidental release measures

Personal precautions, protective equipment and emergency

procedures

Not required.

Environmental precautions:

No special measures required.

Methods and material for containment and cleaning up:

Collect mechanically.

Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### · Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

(Contd. on page 3)



Page 3/7

## **Safety Data Sheet** acc. to OSHA HCS

Printing date 02/19/2023 Reviewed on 02/19/2023

Trade name tesa HAF 58446, 58480, 58484, 58485, 58486, 58488, 58489

(Contd. of page 2)

· PAC-3:

None of the ingredients is listed.

#### 7 Handling and storage

· Handling

Precautions for safe handling Improper heating of the open film on temperature of > 80°C can lead at longer-lasting

exposure to the release of isocyanate.

No special measures required.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by

storerooms and containers:

· Information about storage in one

The storage temperature of the material must not exceed 35 °C even at short notice.

common storage facility:

Further information about storage

conditions:

Void

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design

of technical systems: The SDS is valid for designated use of the product incl. pre-lamination and final

bonding.

Under Section 7.1 of the SDS you find an example for existing risks when the material

is improperly used.

· Control parameters

· Components with critical values that require monitoring at the workplace:

· Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

Personal protective equipment

**Breathing equipment:** Not required. Protection of hands: Not required.

Suitability and resistance of a glove depend on the conditions of use, such as Material of gloves

frequency and duration of contact, chemical resistance of the glove material, thickness and fit of the gloves. As a general rule, the glove manufacturer should be consulted for the necessary information. Contaminated or damaged gloves should be replaced

immediately.

· Penetration time of glove material The exact breakthrough time must be obtained from the protective glove manufacturer

and must be observed.

· Eye protection: Not required.

### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid. Colour: Black

(Contd. on page 4)



Page 4/7

# Safety Data Sheet acc. to OSHA HCS

Printing date 02/19/2023 Reviewed on 02/19/2023

Trade name tesa HAF 58446, 58480, 58484, 58485, 58486, 58488, 58489

(Contd. of page 3)

	(Contd. of page 3
· Smell:	Product specific
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
· Flash point:	Not applicable
· Inflammability (solid, gaseous)	Not determined.
· Decomposition temperature:	Not determined.
· Self-inflammability:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive.
· Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
· Steam pressure:	Not applicable.
· Density	Not determined
Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Unsoluble
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	Residual solvent content in tape: much smaller than 0,1 weight-%
Solids content:	100.0 %
· Other information	No further relevant information available.

## \*10 Stability and reactivity

· **Reactivity** No further relevant information available.

· Chemical stability

· Thermal decomposition / conditions

to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known

• Conditions to avoid Improper heating of the open film on temperature of > 80°C can lead at longer-lasting

exposure to the release of isocyanate.

Incompatible materials: No further relevant information available.

· Hazardous decomposition

products: Isocyanate

(Contd. on page 5)



Page 5/7

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/19/2023 Reviewed on 02/19/2023

Trade name tesa HAF 58446, 58480, 58484, 58485, 58486, 58488, 58489

(Contd. of page 4)

### \*11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· Primary irritant effect:

· on the skin: Void

· on the eye: No irritant effect.

• Sensitization: (Means the vapours, formed in the thermo setting process)

Sensitizing effect by inhalation is possible by prolonged exposure.

· Additional toxicological

**information:** The product is not subject to classification according to the calculation method of the

General EC Classification Guidelines for Preparations as issued in the latest version: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

· Toxicity

Aquatic toxicity:
 Persistence and degradability
 No further relevant information available.
 No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

Additional ecological information:

According to recipe contains the following heavy metals and compounds according to EC

guideline NO. 76/464 EC: free of heavy metals (Pb, Cd, Hg, Cr6+)

Free of Polybrominated Biphenyls (PBBs) and Polybrominated Diphenyl Ethers

(PBDEs) according to RoHS Directive.

• General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

• Other adverse effects No further relevant information available.

#### 13 Disposal considerations

· Waste treatment methods

• Recommendation Smaller quantities can be disposed with household garbage.

Energy recovery: The product can be applied to a suitable waste incineration plant for

mixed waste.

Energy recovery by incineration in an approved waste incineration plant. Consider the applicable regulations of the country, the State or local area. For larger amounts of waste: consult the authorities prior the disposal.

(Contd. on page 6)



Page 6/7

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/19/2023 Reviewed on 02/19/2023

Trade name tesa HAF 58446, 58480, 58484, 58485, 58486, 58488, 58489

(Contd. of page 5)

· Uncleaned packagings: Void

14 Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · DOT, ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation":	Void	

### <sup>\*</sup>15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Hazardous Air Pollutants

None of the ingredients is listed.

- · Cancerogenity categories
- · TLV (Threshold Limit Value)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations avoids

Additional classification according to Decree on Hazardous Materials,

Annex II: Void

· Information about limitation of use: Void

· Decree to be applied in case of

technical fault: Void

(Contd. on page 7)



Page 7/7

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/19/2023 Reviewed on 02/19/2023

Trade name tesa HAF 58446, 58480, 58484, 58485, 58486, 58488, 58489

(Contd. of page 6)

· Other regulations, limitations and prohibitive regulations

SARA Section 313

-

· SARA section 355

-

Proposition 65 - Cancer

\_

· Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This product (this product group) is not a hazardous substance in the sense of the currently valid GefStoffV. This safety data sheet is therefore not subject to the automatic amendment service according to GefStoffV § 6 para. 1.

· Department issuing data

specification sheet:

tesa SE, Corporate Regulatory Affairs

· Contact:

tesa SE, Corporate Regulatory Affairs, Email: SDS@tesa.com, Tel.: +4940-88899-0

· Date of preparation / last revision 02/19/2023

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

\* Data compared to the previous version altered.

US-